ELSEVIER

Journal of Supercritical Fluids 19 (2001) 309

THE JOURNAL OF Supercritical Fluids

www.elsevier.nl/locate/supflu

Author Index

Abdulagatov, I.M., 219
Alessi, P., 61
Alonso, E., 39
Andersen, S.I., 239
Ashraf-Khorassani, M., 275

Badens, E., 69
Ban, I., 209
Bauer, C., 79
Bazaev, E.A., 219
Bazev, A.R., 219
Berna, A., 133
Bertucco, A., 51
Besnard, M., 199
Boselli, E., 45
Boukouvalas, C.J., 123

Caboni, M.F., 45
Cansell, F., 199
Catchpole, O.J., 25
Cháfer, A., 133
Charbit, G., 69
Cocero, M.J., 39
Commenges, N., 69
Cortesi, A., 61

Dahl, S., 239
Drofenik, M., 209

Enomoto, H., 251

Fremgen, D.E., 287

Gamse, T., 79
Gerald, R.E., III, 287
González, S., 39
Grey, J.B., 25

Hendrix, W., 87
Henriksen, O., 239
Hirth, T., 299
Hortaçsu, A., 3
Hortaçsu, Ö., 3
Hou, Y., 149

Jin, F.-M., 251

Kikic, I., 61, 123
Kirchmayer, S., 61
Kishita, A., 251
Klingler, R.J., 287
Knez, Z., 209

Lalanne, P., 199
Laursen, T., 239

Magnan, C., 69
Magoulas, K.G., 123
Marrone, C., 161
Marr, R., 79
Masuoka, H., 187
McDaniel, L.H., 275
Montero, G., 87
Montón, J.B., 133
Moriya, T., 251
Muniz, E.C., 177
Muth, O., 299

Noermark, K.A., 25
Novak, Z., 209

Oliveira, D., 141
Oliveira, J.V., 141

Pallado, P., 51
Pérez, S., 39
Pettinello, G., 51
Porto, M.F., 177
Povh, N.P., 177

Rabezkii, M.G., 219
Rathke, J.W., 287
Reverchon, E., 161
Rey, S., 199
Rezaei, K., 263
Rubira, A.F., 177

Santos, W.L.F., 177
Sato, Y., 187
Schlauer, G., 79
Shannon, B., 87
Smith, B., 87
Smotkin, E.S., 287
Soave, G., 19
Stassi, A., 51
Steinberger, D.-J., 79

Takikawa, T., 187
Takishima, S., 187
Tassaing, T., 199
Tassios, D.P., 123
Taylor, L.T., 275
Temelli, F., 263
Tezel, A., 3

Vecchione, F., 61
Vogel, H., 299

Wu, W., 149

0896-8446/01/$ - see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0896-8446(00)00065-1

ELSEVIER

Journal of Supercritical Fluids 19 (2001) 311–314

THE JOURNAL OF Supercritical Fluids

www.elsevier.nl/locate/supflu

Subject Index

Acetic acid
Kinetics of oxidation of food wastes with H_2O_2 in supercritical water 251
Activity
Activation and denaturation of hydrolases in dry and humid supercritical carbon dioxide (SC-CO_2) 79
Alcoholysis
Enzymatic alcoholysis of palm kernel oil in *n*-hexane and $SCCO_2$ 141
Antisolvent
Soy lecithin micronization by precipitation with a compressed fluid antisolvent — influence of process parameters 69

Barium titanate
Synthesis of barium titanate using supercritical CO_2 drying of gels 209

Canola oil
On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263
Carbon dioxide
High-pressure solubility data of the system resveratrol (3) + ethanol (2) + CO_2 (1) 133
β-carotene
Supercritical extraction of unsaturated products. Degradation of β-carotene in supercritical extraction processes 39
Ceramic powders
Synthesis of barium titanate using supercritical CO_2 drying of gels 209
Chromatography
Production of EPA enriched mixtures by supercritical fluid chromatography: from the laboratory scale to the pilot plant 51
CO_2
Measurement and modeling of the solubility of CO_2 and N_2 in a model resin system based on resin from spruce wood (*Picea abies* (L.)) 239
Solubilities and diffusion coefficients of carbon dioxide in poly(vinyl acetate) and polystyrene 187
CO_2/ethanol mixtures
Attempt to explain the changes in solvation of polystyrene in supercritical CO_2/ethanol mixtures using infrared and Raman spectroscopy 199
Critical point
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219

Desorption
Investigation of sorption and diffusion of supercritical carbon dioxide into poly(vinyl chloride) 299
Diffusion coefficient
Solubilities and diffusion coefficients of carbon dioxide in poly(vinyl acetate) and polystyrene 187
Diffusivity
Investigation of sorption and diffusion of supercritical carbon dioxide into poly(vinyl chloride) 299
Disperse dye
Incorporation of disperse dye in *N*,*N*-dimethylacrylamide modified poly(ethylene terephthalate) fibers with supercritical CO_2 177
Dried egg yolk
Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier 45
Drug
Supercritical fluids chromatography for impregnation optimization 61

Egg yolk oil
Mathematical modeling of extraction of egg yolk oil with supercritical CO_2 149
Enzymatic
On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263
EPA
Production of EPA enriched mixtures by supercritical fluid chromatography: from the laboratory scale to the pilot plant 51
Equation of state
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123
Essential oils
Multi-component models for seed and essential oil extractions 3
Ethanol
High-pressure solubility data of the system resveratrol (3) + ethanol (2) + CO_2 (1) 133
Excess molar volume
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219
Experimental design
Enzymatic alcoholysis of palm kernel oil in *n*-hexane and $SCCO_2$ 141

0896-8446/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0896-8446(00)00066-3

Extraction
Mathematical modeling of extraction of egg yolk oil with supercritical CO_2 149
Extraction-reaction
On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263

Factorial design
Incorporation of disperse dye in *N,N*-dimethylacrylamide modified poly(ethylene terephthalate) fibers with supercritical CO_2 177
Fatty acids
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275
Fish oils
Fractionation of fish oils using supercritical CO_2 and CO_2 + ethanol mixtures 25
Flooding
Fractionation of fish oils using supercritical CO_2 and CO_2 + ethanol mixtures 25
Flow modeling
Modeling of supercritical fluid flow through a yarn package 87
Food wastes
Kinetics of oxidation of food wastes with H_2O_2 in supercritical water 251
Fugacity
A simple model for the supercritical extraction of solids 19

Gas chromatography
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275
Gases
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123
Group contribution
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123

HPLC
Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier 45
Hydrocarbons
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123
Hydrolases
Activation and denaturation of hydrolases in dry and humid supercritical carbon dioxide (SC-CO_2) 79
Hydrolysis
On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263

Impregnation
Supercritical fluids chromatography for impregnation optimization 61
In-situ derivatization
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275

Lipase
Enzymatic alcoholysis of palm kernel oil in *n*-hexane and $SCCO_2$ 141

On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263
Mass spectrometric detection
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275
Mathematical model
Mathematical modeling of extraction of egg yolk oil with supercritical CO_2 149
MHV1
Measurement and modeling of the solubility of CO_2 and N_2 in a model resin system based on resin from spruce wood (*Picea abies* (L.)) 239
Microemulsion
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287
Micronization
Soy lecithin micronization by precipitation with a compressed fluid antisolvent — influence of process parameters 69
Mixing rules
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123
Modeling
Modeling and simulation of the supercritical CO_2 extraction of vegetable oils 161
Multi-component models for seed and essential oil extractions 3
Modelling
High-pressure solubility data of the system resveratrol (3) + ethanol (2) + CO_2 (1) 133
Multi-component extraction
Multi-component models for seed and essential oil extractions 3

N_2
Measurement and modeling of the solubility of CO_2 and N_2 in a model resin system based on resin from spruce wood (*Picea abies* (L.)) 239
n-Hexane
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219
NMR imaging
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287
N,*N*-dimethylacrylamide
Incorporation of disperse dye in *N*,*N*-dimethylacrylamide modified poly(ethylene terephthalate) fibers with supercritical CO_2 177
Non-polar
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123
Nuclear overhauser effect
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287

Oxidation
Supercritical extraction of unsaturated products. Degradation of β-carotene in supercritical extraction processes 39

Package dyeing
Modeling of supercritical fluid flow through a yarn package 87
Partial molar volume
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219
Permeability
Modeling of supercritical fluid flow through a yarn package 87
Phospholipid
Soy lecithin micronization by precipitation with a compressed fluid antisolvent — influence of process parameters 69
Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier 45
Pilot plant
Production of EPA enriched mixtures by supercritical fluid chromatography: from the laboratory scale to the pilot plant 51
Polyester
Modeling of supercritical fluid flow through a yarn package 87
Poly(ethylene terephthalate)
Incorporation of disperse dye in *N*,*N*-dimethylacrylamide modified poly(ethylene terephthalate) fibers with supercritical CO_2 177
Polystyrene
Attempt to explain the changes in solvation of polystyrene in supercritical CO_2/ethanol mixtures using infrared and Raman spectroscopy 199
Solubilities and diffusion coefficients of carbon dioxide in poly(vinyl acetate) and polystyrene 187
Poly(vinyl acetate)
Solubilities and diffusion coefficients of carbon dioxide in poly(vinyl acetate) and polystyrene 187
Poly(vinyl chloride)
Investigation of sorption and diffusion of supercritical carbon dioxide into poly(vinyl chloride) 299
Precipitation
Soy lecithin micronization by precipitation with a compressed fluid antisolvent — influence of process parameters 69
PVTx relation
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219

Raman spectroscopy
Attempt to explain the changes in solvation of polystyrene in supercritical CO_2/ethanol mixtures using infrared and Raman spectroscopy 199
Reaction conversion
Enzymatic alcoholysis of palm kernel oil in *n*-hexane and $SCCO_2$ 141
Resin
Measurement and modeling of the solubility of CO_2 and N_2 in a model resin system based on resin from spruce wood (*Picea abies* (L.)) 239
Resveratrol
High-pressure solubility data of the system resveratrol (3) + ethanol (2) + CO_2 (1) 133

Scale-up
Fractionation of fish oils using supercritical CO_2 and CO_2 + ethanol mixtures 25
SC-CO_2 extraction
Supercritical extraction of unsaturated products. Degradation of β-carotene in supercritical extraction processes 39
Seed oil
Modeling and simulation of the supercritical CO_2 extraction of vegetable oils 161
Seed oils
Multi-component models for seed and essential oil extractions 3
SFC
Production of EPA enriched mixtures by supercritical fluid chromatography: from the laboratory scale to the pilot plant 51
Supercritical fluids chromatography for impregnation optimization 61
Simulation
Modeling and simulation of the supercritical CO_2 extraction of vegetable oils 161

Sol-gel synthesis
Synthesis of barium titanate using supercritical CO_2 drying of gels 209
Solid
A simple model for the supercritical extraction of solids 19
Solubility
Fractionation of fish oils using supercritical CO_2 and CO_2 + ethanol mixtures 25
Solubilities and diffusion coefficients of carbon dioxide in poly(vinyl acetate) and polystyrene 187
Supercritical extraction of unsaturated products. Degradation of β-carotene in supercritical extraction processes 39
Supercritical fluids chromatography for impregnation optimization 61
Solubility's
Measurement and modeling of the solubility of CO_2 and N_2 in a model resin system based on resin from spruce wood (*Picea abies* (L.)) 239
Solvent extraction
Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier 45
Sorption
Investigation of sorption and diffusion of supercritical carbon dioxide into poly(vinyl chloride) 299
Spontaneous formation
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287
Stability
Activation and denaturation of hydrolases in dry and humid supercritical carbon dioxide (SC-CO_2) 79
Supercritical
Production of EPA enriched mixtures by supercritical fluid chromatography: from the laboratory scale to the pilot plant 51
Soy lecithin micronization by precipitation with a compressed fluid antisolvent — influence of process parameters 69
Supercritical carbon dioxide
Activation and denaturation of hydrolases in dry and humid supercritical carbon dioxide (SC-CO_2) 79
Investigation of sorption and diffusion of supercritical carbon dioxide into poly(vinyl chloride) 299
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287
Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier 45
Supercritical CO_2
Enzymatic alcoholysis of palm kernel oil in *n*-hexane and $SCCO_2$ 141
Incorporation of disperse dye in *N,N*-dimethylacrylamide modified poly(ethylene terephthalate) fibers with supercritical CO_2 177
Mathematical modeling of extraction of egg yolk oil with supercritical CO_2 149
On-line extraction-reaction of canola oil using immobilized lipase in supercritical CO_2 263
Synthesis of barium titanate using supercritical CO_2 drying of gels 209
Supercritical extraction
A simple model for the supercritical extraction of solids 19
Modeling and simulation of the supercritical CO_2 extraction of vegetable oils 161
Supercritical fluid
Modeling of supercritical fluid flow through a yarn package 87
Supercritical fluids chromatography for impregnation optimization 61
Supercritical fluid extraction
Multi-component models for seed and essential oil extractions 3
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275
Supercritical fractionation
Fractionation of fish oils using supercritical CO_2 and CO_2 + ethanol mixtures 25
Supercritical solubility
High-pressure solubility data of the system resveratrol (3) + ethanol (2) + CO_2 (1) 133
Supercritical water
PVTx measurements for dilute water + *n*-hexane mixtures in the near-critical and supercritical regions 219
Supercritical water oxidation
Kinetics of oxidation of food wastes with H_2O_2 in supercritical water 251

Toroid cavity
Microemulsions of water in supercritical carbon dioxide: an in-situ NMR investigation of micelle formation and structure 287

Vapor–Liquid Equilibrium
Comparison of the performance of the LCVM model (an EoS/G^E model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor–Liquid Equilibria of binary systems containing light gases 123

Waste treatment
Kinetics of oxidation of food wastes with H_2O_2 in supercritical water 251
Water content
Activation and denaturation of hydrolases in dry and humid supercritical carbon dioxide (SC-CO_2) 79
Wood extractives
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275
Wood pulp
Supercritical fluid extraction of wood pulp with analysis by capillary gas chromatography-mass spectrometry 275